

## HPB Pressure gauge

HJSENSOR



HJSENSOR



Nanjing Hangjia Electronic Technology Co.,Ltd.

## Product Overview:

For corrosive or non corrosive gas and liquid aggressive Media which are not highly viscous and would crystallize.

Particularly used in chemical, petrochemical and food Industry, biochemistry and any rush industries. For Measuring points subject to vibrations and high dynamic Pressure load.

## Features:

- Stainless steel pressure gauges are widely used in petroleum, chemical, metallurgy, engineering machinery and equipment.
- Oil filled gauge is suitable for dynamic pressure and vibration occasions

## Parameters:

Size	1.5"(40mm), 2"(50mm), 2.5"(63mm), 3"(75mm), 4"(100mm)
Pressure range	0.1~100Mpa
Connector/Socket	M20*1.5, G1/2, other customized
Connection type	Axial, Radial
Movement	Brass
Dial Plate	Single,dual or three scales(Bar,Psi, Kg/cm <sup>2</sup> ,Kpa,Mpa)
Pointer	Aluminum
Case	ss304
Ring	ss304/ crimped ring
Liquid filled	Glycerin
Accuracy	1.6%,2.5%
Trademark:	Hangjia
Transport package:	Paper carton
HS Code:	9026209090

## Ordering Guide

Code	Type				
HPB	Pressure Gauge				
	<b>Code</b>	<b>Dial diameter</b>			
	040	Φ40mm			
	050	Φ50mm			
	063	Φ63mm			
	075	Φ75mm			
	100	Φ100mm			
	150	Φ150mm			
		<b>Code</b>	<b>Installation Way</b>		
		A	Radial Type		
		B	Axial Type		
		<b>Code</b>	<b>Range</b>		
		(0~X)MPa	X input directly		
			<b>Code</b>	<b>Connection</b>	
			P1	M20*1.5	
			P4	G1/2	
				<b>Code</b>	<b>Others</b>
				F	Anti-corrosion
				N	Shock-proof
HPB	100	A	0-60Mpa	P1	N